

CO₂ Fire extinguishers CO₂ Anti-magnetic

Description

The Neuruppin CO₂ series was developed specifically to protect and to combat fires effectively on electrical appliances and equipment. In addition, this product range also includes an anti-magnetic version for use on medical equipment, for example in hospitals. In particular, this series can be used to suppress flammable liquids. This gas extinguishing process almost completely eliminates secondary damage in the area where it is used. Furthermore, this fire suppression agent constitutes almost no hazard to the environment.

Special advantages

- Elimination of disposal costs for expired extinguishants
- No impaired visibility when this agent is used
- This agent is also effective in undercuts (suppression of oxygen)
- Satisfies the EN3 specifications for use on electrical systems
- Very significant reduction in radiated heat with this gas application protects the user
- Suitable for use on IT equipment
- Great extinguishing power on electrical and B-class fires
- Great suppression power creates safety margins
- Frost-proof application
- Aluminum, steel and anti-magnetic versions are available
- Overpressure protection as standard
- Container with high-quality powder coating, free of TGCI
- Possible application on electrical systems
- Mobile versions available from 10 kg to 60 kg
- Optional vehicle holder is available



Examples of areas of application

- Medical equipment, e.g. in hospitals
- Equipment with high magnetic fields
- IT centers
- Server rooms
- IT
- Building utilities room
- Low-voltage main distribution points
- Switchgear equipment
- Uninterruptible power supplies
- Emergency generators
- Electrical laboratories
- Electrical workshops
- Chemical laboratories
- Storage facilities with flammable liquids

Note: The German language version of this document is the official version. If this document is translated into any language other than German and there is a discrepancy between the German language version and the translation, the German language version will control.

Made in Germany



- ✓ geschweißt
- ✓ beschichtet
- ✓ gefüllt
- ✓ geprüft

neuruppin

Höchste Qualität für Ihre Sicherheit

Your fire safety retailer:

Technical Data

	KS 2 BG ALU	KS 2 BG STEEL	KS 2 BG SWIVEL HORN	KS 2 EURO
Capacity (kg)	2	2	2	2
Extinguishing agent	CO ₂			
Rating	34 B	34 B	55B	34B
Fire extinguisher units	2	2	3	2
Temperature range (°C)	-30°C / +60°C			
Weight (kg)	4.9	5.5	5.6	5.8
Width (mm)	270	270	180	290
Height (mm)	500	540	530	550
Discharge duration (s)	9	9	9	7
Spray width (m)	2 - 3			
Certificates	CE, EN3, KM, BF, WM		CE, EN3	
Company reserves the right to make technical modifications				

NEURUPPIN and other product names that appear in this document are tradenames and/or registered brands. Unauthorized use is strictly prohibited.

Made in Germany



- ✓ geschweißt
- ✓ beschichtet
- ✓ gefüllt
- ✓ geprüft

neuruppin

Höchste Qualität für Ihre Sicherheit

Technical Data

	KS 5 BG ALU	KS 5 BG STEEL	KS 5 BG ANTI-MAGNETIC	KS 5 EURO
Capacity (kg)	5	5	5	5
Extinguishing agent	CO2			
Rating	89 B	89 B	89 B	89 B
Fire extinguisher units	5	5	5	5
Temperature range (°C)	-30°C / +60°C			
Weight (kg)	13.8	15.0	14.0	15.4
Width (mm)	290	290	290	290
Height (mm)	680	705	705	715
Spray duration (s)	13	13	13	11
Spray width (m)	3 - 5			
Certificates	CE, EN3, KM, BF, WM			
Company reserves the right to make technical modifications				

Your fire safety retailer:

NEURUPPIN and other product names that appear in this document are tradenames and/or registered brands. Unauthorized use is strictly prohibited.

Technical Data

	KS 10	KS 20	KS 30	KS 60
Capacity (kg)	10	20	30	60
Extinguishing agent	CO2			
Rating	89 B	89 B	113 B	144 B
Fire extinguisher units	N/A	N/A	N/A	N/A
Temperature range (°C)	-30°C / +60°C			
Weight (kg)	39	70	93	200
Width (mm)	350	470	490	650
Height (mm)	1250	1100	1140	1600
Discharge duration (s)	21	35	43	110
Spray width (m)	5			
Certificates	CE, EN3, KM, BF, WM			CE, EN3
Company reserves the right to make technical modifications				

Made in Germany



- ✓ geschweißt
- ✓ beschichtet
- ✓ gefüllt
- ✓ geprüft

neuruppin

Höchste Qualität für Ihre Sicherheit

Your fire safety retailer:

NEURUPPIN and other product names that appear in this document are tradenames and/or registered brands. Unauthorized use is strictly prohibited.